

## FLORA OF THE SISKIYOU MOUNTAINS

Siskiyou County, California, USA

### *Erigeron cervinus* Greene

Rogue River Siskiyou National Forest, Siskiyou Mountains, ca. 2.4 km WSW of Cook and Green Pass, moist slope above Echo Lake; 41.9356°, 123.17214° (NAD 83); 1,710 m/5,600 ft elevation. A rare perennial with purple ray flowers growing on a N-facing, seepy, volcanic rock outcrop. Associates: *Abies concolor*, *Abies shastensis*, *Aconogonon phytolaccifolium*, *Adiantum alueticum*, *Boykinia major*, *Eriophorum crinigerum*, *Holodiscus discolor*, *Nothochelone nemorosa*, *Polystichum lonchitis*, and *Rubus parviflorus*.

Dana York 3121

20 July 2012

### Plants of the Mono Basin

Polygonaceae

*Eriogonum spergulinum* A. Gray var. *reddingianum* (M.E. Jones) J.T. Howell. Redding Buckwheat.

Dry Creek, Mono County, California. In small meadow in the middle reaches of upper Dry Creek, i.e., south of Big Sand Flat, and north of Crooked Meadows, 25 km by air southeast of Lee Vining.

37.8545°N, 118.8633° W. WGS 1984.

Elev. 2583 m.

Tom Schweich 655

12-Jul-2010

### CALIFORNIA ACADEMY OF SCIENCES

#### Plants of California

Violaceae

### *Viola tomentosa* M.S. Baker & J.C. Clausen

Placer County: 1 mile E of Talbot Campground Open Area near Middle Fork American River.

R14E T15N Sec. 1

Elev. 5800 ft.

Emily K. McPherson 76-28-5

September 19, 1976

## Botanical Expedition to Himalaya, 1990

University of Marketing and Distribution Sciences, Japan and  
Department of Forestry and Plant Research, Nepal  
Distributed from University of Tokyo (TI)

*Kobresia nepalensis* (Nees) Kuk.

det. M. Michikawa

E. Nepal: Koshi Zone, Sankhuwa Sabha Distr., around Cha Ding Kharka (3970 m). Surveying the whole area around Shipton Pass (4127 m). 87° 10' E, 27° 40' N

On mossy rocks in grass land.

M. Minaki No. 90-20732

8 August 1990

C. Yonebayashi, F. Miyamoto, H. Takayama,  
H. Sugita, H. Yagi, M.N. Subedi & H. Ikeda

---

Flora of Nepal Database;

Registered by the Society of Himalayan Botany, 1998.

### Plants of MEXICO - Edo. Chiapas

Marantaceae

### *Calathea matudae* H. Kenn. & Ganders

**MEXICO.** Chiapas: Mpio. Ocozocoautla de Espinosa 18 km from Ocozocoautla on the road to Malpaso, ca. 3200 ft. Deciduous forest.

Herb to 1 m. Cataphylls green to purple-green. Leaves semi-glittering grass green above, pale grey-green, occasionally tinged with pale purple below. Pulvinus yellow-green. Leaf sheath green, dark green toward base. Peduncle green or purplish green. Bracts green, semi-coriaceous to herbaceous, margins recurved. Claviculate bracteoles yellow-tan when new. Sepals translucent, white. Corolla lobes pale yellow. Outer staminode light yellow streaked or flushed with purple. Capsule white, translucent, fleshy with raised outer rim. Seeds grey with yellow-tan aril.

H. Kennedy

No. 1414

D.E. Breedlove

1 August 1972